

SECL Coal Status Report for the month of June 2025																													
Date	Monthly Coal Requisition				Daily Coal received				Cumulative Coal Received				Daily Coal Consumption				Cumulative Coal Consumption				Closing Balance				Alternate Sources' coal consumption for the day	% Usage of alternate sources' coal w.r.t. SECL coal	Blending Ratio		
	SECL (Run-of-Mine)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total	SECL (washed)	SECL (Run-of-Mine High GCV Coal)	CIL Imp.	Total					
a	b	c	d	e = b+c+d	f	g	h	j= f+g+h	j	k	l	m = j+k+l	n	o	p	q=n+o+p	r	s	t	u=r+s+t	v	w	x	y= v+w+x	z	aa = z/q	bb = z/(z+q)		
1					0	7993	0	7993	0	7993	0	7993	0	11705	0	11705	0	11705	0	11705	0	496402	0	496402	0	0%	0%		
2					0	20317	0	20317	0	28311	0	28311	0	12782	0	12782	0	24487	0	24487	0	503938	0	503938	0	0%	0%		
3					0	19908	0	19908	0	48218	0	48218	0	10882	0	10882	0	35369	0	35369	0	512963	0	512963	0	0%	0%		
4					0	23931	0	23931	0	72149	0	72149	0	14655	0	14655	0	50024	0	50024	0	522239	0	522239	0	0%	0%		
5					0	19723	0	19723	0	91872	0	91872	0	14673	0	14673	0	64697	0	64697	0	527289	0	527289	0	0%	0%		
6					0	31818	0	31818	0	123690	0	123690	0	17008	0	17008	0	81705	0	81705	0	542099	0	542099	0	0%	0%		
7					0	20459	0	20459	0	144149	0	144149	0	16438	0	16438	0	98142	0	98142	0	546121	0	546121	0	0%	0%		
8					0	3467	0	3467	0	147615	0	147615	0	16358	0	16358	0	114501	0	114501	0	533229	0	533229	0	0%	0%		
9					0	4146	0	4146	0	151761	0	151761	0	17636	0	17636	0	132137	0	132137	0	519739	0	519739	0	0%	0%		
10					0	3950	0	3950	0	155711	0	155711	0	18006	0	18006	0	150143	0	150143	0	505683	0	505683	0	0%	0%		
11																													
12																													
13																													
14																													
15																													
16																													
17																													
18																													
19																													
20																													
21																													
22																													
23																													
24																													
25																													
26																													
27																													
28																													
29																													
30																													

CIL Imp.= CIL Imported Coal

NOTE

- 1
- On 01.06.2025, the opening balance of SECL Washed Coal is 0 MT, SECL High GCV ROM Coal is 500114 MT, Commercial Coal is 0 MT, NPL Imported Coal is 0 MT and E-Auction Coal is 0 MT.
- 2
- SECL (Run-of-Mine High GCV Coal) includes supplies from M/s SECL, BCCL, NCL,ECL,CCL & WCL

Status Report of Coal from Alternate Sources for the month of June 2025																											
Date	Daily / Monthly Coal Requisition				Daily Coal received				Cumulative Coal Received				Daily Coal Consumption				Cumulative Coal Consumption				Closing Balance				SECL domestic+CIL Imported coal consumption for the day	% Usage of alternate sources' coal w.r.t. SECL coal	Blending Ratio
	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total	Dom. Com.	NPL Imp.	E-Auction	Total			
a	b	c	d	e=b+c+d	f	g	h	i=f+g+h	j	k	l	m=j+k+l	n	o	p	q=n+o+p	r	s	t	u=r+s+t	v	w	x	y=v+w+x	z	aa=q/z	bb=q/(q+z)
1					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11705	0%	0%
2					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12782	0%	0%
3					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10882	0%	0%
4					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14655	0%	0%
5					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14673	0%	0%
6					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17008	0%	0%
7					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16438	0%	0%
8					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16358	0%	0%
9					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17636	0%	0%
10					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	18006	0%	0%
11																											
12																											
13																											
14																											
15																											
16																											
17																											
18																											
19																											
20																											
21																											
22																											
23																											
24																											
25																											
26																											
27																											
28																											
29																											
30																											

Dom. Com. = Domestic Commercial Coal

NPL Imp. = NPL Imported Coal

NOTE

1On 01.06.2025, the opening balance of SECL Washed Coal is 0 MT, SECL High GCV ROM Coal is 500114 MT, Commercial Coal is 0 MT, NPL Imported Coal is 0 MT and E-Auction Coal is 0 MT.

Biomass Non Torrefied Pellets Status Report for the month of June 2025					
Date	Daily Received	Cumulative Received	Daily Consumption	Cumulative Consumption	Closing Balance
1	895	895	895	895	0
2	788	1683	788	1683	0
3	850	2533	850	2533	0
4	674	3207	674	3207	0
5	759	3966	759	3966	0
6	874	4840	874	4840	0
7	888	5729	888	5729	0
8	875	6603	875	6603	0
9	947	7550	674	7277	273
10	727	8277	1000	8277	0
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

1. On 01.06.2025, the opening balance of Biomass Non Torrified Pellets is 0 MT.